



June 29, 2015
ADDENDUM NO. 1

Regarding: Project No. 90170
Eastgate South Drive and Clepper Lane Roundabout
Clermont County Transportation Improvement District

To All Bidders:

Please be advised that the following revisions/clarifications have been made to the Bid Package:

1. Revisions/Clarifications:

1. Completion Date. As stated on Sheet No. 8, "The project is to be substantially complete and the roundabout fully open to traffic by October 31st, 2015." The intent is that all curbed islands, signs, striping, and any other items necessary to allow the roundabout to be fully functional per it's design shall be completed by this date. The Contract Completion Date shall be May 27, 2016 by which time the final asphalt surface course and items outside the paved areas, not critical to the function of the roundabout, shall be completed.
2. Any necessary work zone striping shall be considered incidental to ITEM 614 – Maintaining Traffic, Misc.: As Per Plan.
3. Sheet No. 3: Typical Sections. Reference number 3, Item 442 – 1.50" Asphalt Concrete Intermediate Course, 9.5mm, Type A, (448) shall be changed to **Item 442 – 2" Asphalt Concrete Intermediate Course, 19mm, Type A, (448)**. The change in the material and quantity of this intermediate course has also been reflected in the attached revised Bid Form.
4. Sheet No. 3: Typical Sections. Reference number 5, Item 302 – 9" Asphalt Concrete Base, PG64-22 shall be changed to **Item 302 – 8.5" Asphalt Concrete Base, PG64-22**. The change in quantity of this concrete base has also been reflected in the attached revised Bid Form.
5. Sheets No. 3, 4, & 5: Typical Sections. Typical Sections on these pages show the Clermont County Standard Curb and Gutter sitting on a thin layer of ITEM 302 – Asphalt Concrete Base. Instead, this area under the curb & gutter shall be constructed of ITEM 304 – Aggregate Base, yielding a total depth of 9.75" of aggregate base under the curb. The change in quantities for ITEM 302 – Asphalt Concrete Base and ITEM 304 – Aggregate Base has also been reflected in the attached revised Bid Form.
6. Sheet No. 9: SEQUENCE OF CONSTRUCTION, PHASE 1 and PHASE 2 – The sentence that reads "Place asphalt pavement excluding intermediate and surface course" shall be modified to read "**Place asphalt pavement excluding surface course**".

2. Section V, Bid Proposal and Bid Guaranty:

1. Bid Form: Reference No. 56, ITEM 302 – Asphalt Concrete Base, PG64-22. The quantity for this item shall be modified to 2487 CU YD.
2. Bid Form: Reference No. 57, ITEM 304 – Aggregate Base. The quantity for this item shall be modified to 2300 CU YD.
3. Bid Form: Reference No. 62, ITEM 442 - Asphalt Concrete Intermediate Course, 9.5mm, Type A (448). This item has been changed to **ITEM 442 – Asphalt Concrete Intermediate Course, 19mm, Type A, (448)** and the quantity for this item shall be modified to 555 CU YD.

A revised Excel file will be emailed. The revised Excel file will have the modifications listed in this addendum. It is the responsibility of the bidder to ensure that this Excel file matches the attached PDF Bid Form and to verify any calculations performed using Excel. If you did not receive an email, please contact our office.

Please sign and return a copy of this letter by fax or mail to the Clermont County Engineer's Office prior to the bid opening at 2:00 P.M. local time on Thursday, July 2, 2015 or with your bid documents at that time. Please complete the Bid Proposal, noting receipt of addendum.

Company Name

Signature Owner/Agent

Mail To: Clermont County Engineer, Attn: Jeremy Evans, 2381 Clermont Center Drive, Batavia, Ohio 45103

Fax To: Clermont County Engineer, Attn: Jeremy Evans, (513) 732-8875

BID FORM

REF. NO.	ITEM NO.	QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL COST
1	201	1	LS	CLEARING AND GRUBBING		
2	202	2	EACH	HEADWALL REMOVED		
3	202	633	SF	WALK REMOVED		
4	202	197	SY	TRAFFIC ISLAND REMOVED		
5	202	553	FT	CURB REMOVED		
6	202	3523	FT	CURB AND GUTTER REMOVED		
7	202	155	SY	CONCRETE SLOPE PROTECTION REMOVED		
8	202	206	FT	PIPE REMOVED, 24" AND UNDER		
9	202	371	FT	GUARDRAIL REMOVED		
10	202	14	EACH	CATCH BASIN REMOVED		
11	202	52	FT	SPECIAL - FILL AND PLUG EXISTING CONDUIT		
12	202	488	FT	FENCE REMOVED		
13	203	7609	CY	EXCAVATION		
14	203	15269	CY	EMBANKMENT		
15	204	16305	SY	SUBGRADE COMPACTION		
16	204	7	HOUR	PROOF ROLLING		
17	606	637.5	FT	GUARDRAIL, TYPE MGS		
18	606	1	EACH	ANCHOR ASSEMBLY, TYPE B		
19	607	421	FT	FENCE, TYPE CLT		
20	608	736	SF	4" CONCRETE WALK		
21	608	4	EACH	CURB RAMP		
22	608	50	SF	DETECTABLE WARNING		
23	601	31.2	SY	TIED CONCRETE BLOCK MAT, TYPE 1		
24	601	24.5	CY	ROCK CHANNEL PROTECTION, TYPE A WITH FILTER		
25	601	2.1	CY	ROCK CHANNEL PROTECTION, TYPE C WITH FILTER		
26	601	274	FT	PAVED GUTTER, TYPE 1-2		
27	659	2	EACH	SOIL ANALYSIS TEST		
28	659	1594	CY	TOPSOIL		
29	659	14363	SY	SEEDING AND MULCHING		
30	659	718	SY	REPAIR SEEDING AND MULCHING		
31	659	718	SY	INTER-SEEDING		
32	659	2	TON	COMMERCIAL FERTILIZER		

BID FORM

REF. NO.	ITEM NO.	QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL COST
33	659	2.97	ACRE	LIME		
34	659	80	MGAL	WATER		
35	832	1	LS	STORM WATER POLLUTION PREVENTION PLAN		
36	832	42000	EACH	EROSION CONTROL		
37	602	6.5	CY	CONCRETE MASONRY		
38	605	2961	FT	6" SHALLOW PIPE UNDERDRAINS		
39	605	100	FT	6" UNCLASSIFIED PIPE UNDERDRAINS		
40	611	108	FT	6" CONDUIT, TYPE F FOR UNDERDRAIN OUTLETS		
41	611	100	FT	6" CONDUIT, TYPE F		
42	611	709	FT	12" CONDUIT, TYPE B		
43	611	132	FT	12" CONDUIT, TYPE C		
44	611	36	FT	15" CONDUIT, TYPE B		
45	611	58	FT	24" CONDUIT, TYPE B		
46	611	99	FT	24" CONDUIT, TYPE C		
47	611	108	FT	54" CONDUIT, TYPE C		
48	611	2	EACH	CATCH BASIN, NO. 3		
49	611	6	EACH	CATCH BASIN, MISC.:CLERMONT COUNTY CATCH BASIN, NO. 3 MODIFIED		
50	611	9	EACH	CATCH BASIN, MISC.:CLERMONT COUNTY CATCH BASIN, NO. 3A MODIFIED		
51	611	1	EACH	CATCH BASIN, MISC.:CLERMONT COUNTY CATCH BASIN, NO. 2-3		
52	611	6	EACH	CATCH BASIN ADJUSTED TO GRADE		
53	611	10	EACH	MANHOLE, NO. 3		
54	611	3	EACH	MANHOLE ADJUSTED TO GRADE		
55	254	3274	SY	PAVEMENT PLANING, ASPHALT CONCRETE		
56	302	2487	CY	ASPHALT CONCRETE BASE, PG64-22		
57	304	2300	CY	AGGREGATE BASE		
58	407	1037	GAL	TACK COAT, TRACKLESS TACK, SURFACE COURSE		
59	407	398	GAL	TACK COAT, TRACKLESS TACK, INTERMEDIATE COURSE		
60	408	5020	GAL	PRIME COAT		
61	442	552	CY	ASPHALT CONCRETE SURFACE COURSE, 12.5MM, TYPE A (448)		
62	442	555	CY	ASPHALT CONCRETE INTERMEDIATE COURSE, 19MM, TYPE A (448)		
63	451	530	SY	9" REINFORCED CONCRETE PAVEMENT, CLASS QC1, AS PER PLAN		

BID FORM

REF. NO.	ITEM NO.	QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL COST
64	609	661	FT	CURB, TYPE 4-C		
65	609	446	FT	CURB, TYPE 6		
66	609	375	FT	CURB, TYPE 7		
67	609	589	SY	4" CONCRETE TRAFFIC ISLAND, AS PER PLAN		
68	609	3774	FT	CURB, MISC.:CLERMONT COUNTY CURB AND GUTTER		
69	625	48	EACH	CONNECTION, FUSED PULL APART		
70	625	16	EACH	CONNECTION, UNFUSED PERMANENT		
71	625	16	EACH	LIGHT POLE, DECORATIVE, AS PER PLAN (POST TOP) (INSTALLATION ONLY)		
72	625	3	EACH	LIGHT POLE, DECORATIVE, AS PER PLAN (POST TOP WITH CROSSARM) (INSTALLATION ONLY)		
73	625	3	EACH	LIGHT POLE, DECORATIVE, AS PER PLAN (A15B30) (INSTALLATION ONLY)		
74	625	22	EACH	LIGHT POLE FOUNDATION		
75	625	2	EACH	BRACKET ARM, 15', AS PER PLAN		
76	625	11310	FT	NO. 4 AWG 600 VOLT DISTRIBUTION CABLE		
77	625	1540	FT	NO. 10 AWG POLE AND BRACKET CABLE		
78	625	2730	FT	CONDUIT, 2", 725.051		
79	625	675	FT	CONDUIT, JACKED OR DRILLED, 725.04, AS PER PLAN		
80	625	22	EACH	LUMINAIRE, DECORATIVE, AS PER PLAN (150W, TYPE III)		
81	625	5	EACH	LUMINAIRE, DECORATIVE, AS PER PLAN (250W, TYPE III)		
82	625	2730	FT	TRENCH, 24" DEEP, AS PER PLAN		
83	625	33	EACH	PULL BOX, 725.08, 18"		
84	625	3	EACH	PULL BOX REMOVED		
85	625	24	EACH	GROUND ROD		
86	625	1	EACH	POWER SERVICE, AS PER PLAN		
87	625	1	EACH	CONTROL CENTER CABINET, COMPLETE		
88	625	2730	FT	PLASTIC CAUTION TAPE		
89	625	2	EACH	LIGHT POLE REMOVED		
90	625	2	EACH	LIGHT POLE FOUNDATION REMOVED		
91	625	2	EACH	LUMINAIRE REMOVED		
92	625	699	FT	DISTRIBUTION CABLE REMOVED		
93	625	2	EACH	DISCONNECT CIRCUIT		

BID FORM

REF. NO.	ITEM NO.	QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL COST
94	621	87	EACH	RPM		
95	630	770	FT	GROUND MOUNTED SUPPORT, NO. 3 POST, Type F		
96	630	57	FT	GROUND MOUNTED STRUCTURAL BEAM SUPPORT, S4X7.7		
97	630	12	EACH	SIGN POST REFLECTOR		
98	630	4	EACH	BREAKAWAY STRUCTURAL BEAM CONNECTION		
99	630	2	EACH	COMBINATION OVERHEAD SIGN SUPPORT, TYPE TC-16.21, DESIGN 10, AS PER PLAN (INSTALL ONLY)		
100	630	408.8	SF	SIGN, FLAT SHEET		
101	630	54	SF	SIGN, GROUND MOUNTED EXTRUSHEET		
102	630	130	SF	SIGN, OVERHEAD EXTRUSHEET		
103	630	408.8	SF	SIGN ERECTED, FLAT SHEET		
104	630	184	SF	SIGN ERECTED, EXTRUSHEET		
105	630	4	EACH	GROUND MOUNTED STRUCTURAL BEAM SUPPORT FOUNDATION		
106	630	2	EACH	RIGID OVERHEAD SIGN SUPPORT FOUNDATION		
107	630	29	EACH	REMOVAL OF GROUND MOUNTED SIGN AND DISPOSAL		
108	630	23	EACH	REMOVAL OF GROUND MOUNTED POST SUPPORT AND DISPOSAL		
109	632	1	EACH	REMOVAL OF TRAFFIC SIGNAL INSTALLATION		
110	644	0.38	MILE	EDGE LINE, 4", YELLOW		
111	644	0.26	MILE	EDGE LINE, 4", WHITE		
112	644	0.33	MILE	LANE LINE, 4"		
113	644	0.21	MILE	CENTER LINE		
114	644	1568	FT	CHANNELIZING LINE, 8"		
115	644	584	FT	CROSSWALK LINE, AS PER PLAN		
116	644	25	EACH	LANE ARROW		
117	644	4	EACH	LANE ARROW, AS PER PLAN		
118	644	2	EACH	WORD ON PAVEMENT, 48"		
119	644	7	EACH	WORD ON PAVEMENT, 96", AS PER PLAN		
120	644	155	FT	DOTTED LINE, 4"		
121	644	212	FT	DOTTED LINE, 8"		
122	644	129	FT	YIELD LINE		
123	644	105	FT	TRANSVERSE/DIAGONAL LINE		
124	610	2200	SF	CELLULAR RETAINING WALL		
125	614	40	HOURL	LAW ENFORCEMENT OFFICER WITH PATROL CAR FOR ASSISTANCE		

BID FORM

REF. NO.	ITEM NO.	QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL COST
126	614	1	EACH	WORK ZONE IMPACT ATTENUATOR (UNIDIRECTIONAL)		
127	614	3	EACH	SPEED ZONE AHEAD SYMBOL SIGN		
128	614	8	EACH	WORK ZONE SPEED LIMIT SIGN		
129	614	50	CY	ASPHALT CONCRETE FOR MAINTAINING TRAFFIC		
130	614	1	LS	MAINTAINING TRAFFIC, MISC.:AS PER PLAN		
131	616	10	MGAL	WATER		
132	614	1	LS	DETOUR SIGNING		
133	623	1	LS	CONSTRUCTION LAYOUT STAKES AND SURVEYING		
134	624	1	LS	MOBILIZATION		
TOTAL CONSTRUCTION COST						

CONTRACTOR _____